

iN·Command[®]
CONTROL SYSTEMS



///ADVENT[®]
AIR

Voyager[®]



For over 40 years, ASA Electronics® has provided the RV industry with mobile electronics made to perform in any environment. Everything from televisions and stereos to observation systems has been designed to withstand extreme conditions, including vibration, temperature swings, and moisture.

Our product line comprises stereos, speakers, and televisions from JENSEN®, observation systems from Voyager®, and rooftop air conditioners from Advent® Air. Our line of marine products from JENSEN completes our premium product offering for those who live life on the edge. Engineered at our two-million-dollar, in-house testing facility, all of our products are backed by our Hassle-Free Warranty and Dealer Bill of Rights. They are warranted to be free of defects for 12 months, and our highly trained customer and technical service departments are available to answer any questions.

ASA Electronics® stands by its products every step of the way to ensure that they can handle any adventure.

04

IN•COMMAND® CONTROL SYSTEMS

- TIRE PRESSURE MONITORING
- SMART RVING

07

VOYAGER®

- WIRED OBSERVATION SYSTEMS & COMPONENTS
- MONITORS & MOUNTS
- WIRELESS OBSERVATION COMPONENTS
- ALA CARTE OPTIONS

13

JENSEN®

- RV WALL MOUNT STEREOS/ACCESSORIES
- INTERIOR SPEAKERS & ANTENNAS
- SOUND BARS, SUBWOOFERS, & AMPLIFIERS
- AM/FM ANTENNAS
- 12V TELEVISIONS & ACCESSORIES
- 110V TELEVISIONS & ACCESSORIES
- MARINE STEREOS
- WATERPROOF EXTERIOR GRADE SPEAKERS

26

ADVENT AIR®

- ADVENT AC & ADVENT AC COMPONENTS

iN-Command®

CONTROL SYSTEMS

iN-Command® Control Systems ushers in the next generation of campsite control, acting as your RV's central hub of operations. Control and monitor an array of systems, including slides, awnings, tank levels, and even Climate control and scheduling. iN-Command Global Connect allows you to control select functions of your RV using your smart device from anywhere in the world. Features like our innovative Unified Wiring Diagram and changeable relays allow easy maintenance at the campsite or dealership to keep your trip moving. For more information about iN-Command Control Systems, please visit www.in-command.net.



GLOBAL CONNECT®

Control select functions of your RV from anywhere in the world using a smart device with Wi-Fi or cellular data connection.



CLIMATE CONTROL

Control your heart and air conditioning, including the ability to set schedules for day and night and control roof vents.



GENERATOR

Control and monitor generator functions including auto-start and fault code reporting.



TPMS

Monitor and receive notifications regarding air pressure and temperature in each tire, receiving alerts and other information through the iN-Command app.





NCTP100

FOUR TPMS SENSOR KIT

Monitor the air pressure and temperature of up to 22 tires at once with the iN-Command® Tire Pressure Monitoring System. The waterproof sensors use Bluetooth® technology to communicate important safety information right to your smart device through the iN-Command TPMS app.



NCTP1002

TWO TPMS SENSOR KIT

IN-COMMAND® TPMS CAN ALSO BE USED INDEPENDENTLY
WITHOUT AN IN-COMMAND CONTROL SYSTEM

NCSP3DCCT

COMPATIBLE WITH SELECT MODELS ONLY.



7" TOUCHSCREEN

Upgrade your iN-Command system with Global Connect features and a 7" display commander.

NCSP60SP



NCSP60CM



NCSP60SYS2B



NCSP60SYS7



iN-COMMAND KIT W/ TWO-BUTTON SWITCH PLATE

Join the smart RVing club with this easy-to-install iN-Command kit. This package allows you to upgrade your RV from a prep plate to a Bluetooth® operated system using your mobile device as the remote with a two-button switchplate and body control module.

iN-COMMAND KIT W/ 7" TOUCHSCREEN

Experience complete control with this easy-to-install iN-Command kit. This package allows you to upgrade your RV from a prep plate to a complete system with a 7" touchscreen and body control module.

Voyager®

You've never been safer with Voyager observation systems. With RVs prewired for WiSight® technology, our factory-installed, 12-volt DC socket is already connected to the existing wiring at the rear of the coach. WiSight® technology allows the camera to transmit to a wireless Voyager monitor even at high freeway speeds. Never guess your surroundings again.

» EASY INSTALLATION

» SAFETY

» OBSERVATION

WIRED OBSERVATION SYSTEMS & COMPONENTS



VCMS17BR

CAMERA, VOYAGER LOW PROFILE, BLACK



VCMS24

CAMERA, VOYAGER CMOS, WHITE



VCAHD150

CAMERA, VOYAGER & FIXED MOUNT



VCMS50RGP

RIGHT SIDE BODY CAMERA W/ LOW LIGHT ASSIST, GREY PRIMER



VCMS12LGPR/VCMS12RGPR

CAMERA, SIDE-BODY, LEFT, WHITE/ RIGHT



WVOSAPANTEXT

ANTENNA EXTENSION FOR WVCMS130AP WIRELESS CAMERA

CEC25

25' CAMERA CABLE



MODEL	VIEWING ANGLES	PLACEMENT	MICROPHONE	LED LOW-LIGHT ASSIST	WATER-RESISTANT	SENSOR
VCMS12L/VCMS12R	131°, 108°, 78°	SIDE BODY, LEFT OR RIGHT	NO	NO	IPX6	CMOS
VCAHD150	160°, 135°, 85°	REAR	YES	YES	IPX6	CMOS
VCMS24	154°, 123°, 95°	REAR	YES	YES	IPX6	CMOS
VCMS24B	154°, 123°, 95°	REAR	YES	YES	IPX6	CMOS
VCMS172B	125°, 84°, 67°	REAR	YES	YES	IPX6	CMOS
VCMS50LCM	150°, 120°, 90°	SIDE BODY, LEFT	NO	YES	IPX6	CMOS
VCMS50LGP	150°, 120°, 90°	SIDE BODY, LEFT	NO	YES	IPX6	CMOS
VCMS50LWT	150°, 120°, 90°	SIDE BODY, LEFT	NO	YES	IPX6	CMOS
VCMS50RCM	150°, 120°, 90°	SIDE BODY, RIGHT	NO	YES	IPX6	CMOS
VCMS50RGP	150°, 120°, 90°	SIDE BODY, RIGHT	NO	YES	IPX6	CMOS
VCMS50RWT	150°, 120°, 90°	SIDE BODY, RIGHT	NO	YES	IPX6	CMOS



VOM719WP

7" HEAVY DUTY, QUADVIEW MONITOR



VOM718

7" LCD COLOR OBSERVATION MONITOR



VOM74MM

MONITOR, 7" MIRROR 3-CAM MULTI

MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
VOM719WP	7"	500 NIT	500 TO 1	4	1.2" X 5.3" X 7.8"
VOM718	7"	450 NIT	400 TO 1	3	7.56" X 5.06" X 1.10"
VOM74MM	7"	400 NIT	500 TO 1	3	10.04" X 4.72" X 1.24"



VOSH4MNT

4" UNIVERSAL PEDESTAL MOUNT



VOSH6MNT

6" UNIVERSAL PEDESTAL MOUNT

WIRELESS OBSERVATION COMPONENTS



SUPPORTS UP TO FOUR WIRELESS CAMERAS SIMULTANEOUSLY IN A QUAD VIEW DISPLAY FOR ULTIMATE VISIBILITY AND AWARENESS.

MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
WVSXM43	4.3"	500 NIT	500 TO 1	4	1.0"X 5.8" X 4.1"
WVSXM70	7"	400 NIT	500 TO 1	4	1.06"X 4.88" X 8.19"



MODEL	VIEWING ANGLES	WATER-RESISTANT	MICROPHONE	PLACEMENT	LED LOW-LIGHT ASSIST	IMAGE	SENSOR
WVSXC150	115°, 98°, 73°	IPX6	YES	REAR	YES	MIRROR	CMOS



MODEL	VIEWING ANGLES	WATER-RESISTANT	MICROPHONE	PLACEMENT	LED LOW-LIGHT ASSIST	IMAGE	SENSOR
WVSXC160	122°, 91°, 65°	IPX6	YES	REAR	YES	MIRROR	CMOS



WVSXM43



WVSXM70

WVSXS43

VOYAGER WIRELESS WiSIGHT 2.0 4.3" MONITOR

WVSXS70

VOYAGER WIRELESS WiSIGHT 2.0 7" MONITOR



WVSXC150

VOYAGER WIRELESS WiSIGHT 2.0 CAMERA



WVSXC160


VOYAGER WIRELESS WiSIGHT 2.0 CAMERA



WVH100PW

VOYAGER PREP PLATE

*COMPATIBLE WITH WVSXC160



JENSEN wall mount stereos are designed to bring home entertainment to your home-away-from-home.



RV WALL MOUNT STEREOS/ACCESSORIES



JWM30

**AM/FM/CD/DVD/USB/AUX/HDMI
PASSTHROUGH/BLUETOOTH/3 ZONE/MULTI-
SOURCE/DUAL BLUETOOTH ZONES**



JWM41

AM/FM/CD/DVD/USB/AUX/HDMI/BLUETOOTH/2 ZONE



JWM452

**AM/FM/CD/DVD/USB/AUX/HDMI/
BLUETOOTH/REAR HDMI/2 ZONE**



JWM62A

AM/FM/CD/DVD/USB/BLUETOOTH/APP CONTROL/3 ZONE



JWM22

**AM/FM/USB/AUX/HDMI/
BLUETOOTH/CUBE-SHAPED/2 ZONE**



JWM72A

**AM/FM/CD/DVD/USB/AUX/HDMI/
BLUETOOTH/APP CONTROL/3 ZONE**



JWM92A

AM/FM/CD/DVD/USB/AUX/HDMI/BLUETOOTH/APP CONTROL/3 ZONE/ 160 WATTS

MODEL	DIMENSIONS	MAX POWER	RMS POWER	SPEAKER ZONES	APP CONTROL	HDMI OUTPUTS	BLUETOOTH	REMOTE INCLUDED
JWM41	8.25" W X 4.4" H X 6" D	24 W	5W	2	NO	1	YES	YES
JWM72A	10.4" W X 3.75" H X 6.5" D	50 W	8W	3	YES	2	YES	YES
JWM92A	17" W X 3.75" H X 6.5" D	160 W	8W	3	YES	2	YES	YES
JWM452	8.25" W X 4.4" H X 6.5" D	7.62 W	5W	2	NO	1	YES	YES
JWM62A	10.43" W X 7" H X 5" D	50 W	5W	3	YES	1	YES	YES
JWM22	5.25" W X 4.6" H X 3.5" D	24 W	7W	2	NO	1	YES	YES
JWM30	8.23" W X 4.37" H X 6.52" D	36 W	6W	3	NO	1	YES	YES



JXHD30HPC

3" HIGH PERFORMANCE 2-WAY SPEAKER



JXHD35

3.5" HD SPEAKER, PAIR



JXHD40

4" HD HIGH PERFORMANCE SPEAKER



1103050

4" HEAVY DUTY SPEAKER



JXHD54

5.25" HD SPEAKER




HDS3000

5.25" HEAVY-DUTY DUAL CONE SURFACE MOUNT SPEAKERS, PAIR



HDS1000

5.25" HEAVY-DUTY SPEAKERS, PAIR



JWMS437

PANEL MOUNT SPEAKER *SOLD INDIVIDUALLY

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
JXHD30HPC	3"	60W	30W	4 Ω	2-WAY
JXHD35	3.5"	30W	15W	4 Ω	WOOFER
JXHD40	4"	120W	40W	4 Ω	WOOFER
1103050*	4"	30W	15W	4 Ω	DUAL
JXHD54	5.25"	135W	45W	4 Ω	WOOFER
HDS3000	5.25"	40W	20W	4 Ω	DUAL
HDS1000	5.25"	30W	15W	4 Ω	WOOFER
JWMS350HP	3.5"	80W	20W	4 Ω	2-WAY
JWMS437	3"	12W	6W	4 Ω	2-WAY

INTERIOR SPEAKERS & ANTENNAS



1022097
**4" BLACK SPEAKER GRILLE,
(USE W/ 1103050)**



1102094
5" DUAL CONE SPEAKERS BLACK




1102094W
5" DUAL CONE SPEAKERS WHITE

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
1102094	5"	25W	20W	4 Ω	DUAL
1102094W	5"	25W	20W	4 Ω	DUAL
1103030*	5.25"	50W	25W	4 Ω	2-WAY COAXIAL
5203**	5.25"	30W	15W	4 Ω	WOOFER



1103030
**5.25" SPEAKERS
(GRILLE SOLD SEPARATELY)**



GR600B / GR60W
6" BLACK / WHITE SPEAKER GRILLE



5203
**5.25" SPEAKERS
(GRILLE SOLD SEPARATELY)**



JAHD240BTR

AMPLIFIER, 2 CHANNEL - 80 WATTS

Connect this 80-watt amplifier to speakers to stream music and control its playback and volume from any Bluetooth® enabled device. Waterproof and corrosion resistant.

JMP5W800

200W MARINE AMPLIFIED SUBWOOFER - 8"

200-watt, 8" amplified subwoofer. Can be mounted vertically or horizontally. Magnet measures 4"x6".



MSW10

300W MARINE GRADE SUBWOOFER - 10"



JPA600

UNIVERSAL PA 4 CHANNEL AMPLIFIER



JSB2000

NON-AMPLIFIED WALL MOUNT SOUND BAR

The powerful 500-watt, 10" marine subwoofer features a completely sealed housing design to fight humidity and resist corrosion. Nickel-plated copper terminals and insulated tinsel leads complete the robust design.




POWER760

**760W 4-CHANNEL
AMPLIFIER**

RG10HW

**10" WHITE REMOVABLE SPORT
GRILLE FOR MSW10S**



RG10SS

**10" SILVER REMOVABLE SPORT
GRILLE FOR MSW10S MSW10S**



RG10SB

**10" BLACK REMOVABLE SPORT
GRILLE FOR MSW10SWW**





1181039

14" SIDE OR TOP RUBBER MAST ANTENNA



1181067

TOP OR SIDE MOUNT FLEXIBLE ANTENNA



44US01R

RUBBER MAST TOP OR SIDE MOUNT ANTENNA



8309819

6' DI-POLE WIRE ANTENNA




JAN139

6" TOP OR SIDE RUBBER MAST ANTENNA



AN140

IN-WALL ANTENNA



AN130

FORD OVAL BASE ANTENNA




AN110

TOP MOUNT PULL ANTENNA



AN150SR

AMPLIFIED ANTENNA, GREAT FOR REMOTE LOCATIONS




AN519

STAINLESS WHIP ANTENNA (HI-PERFORMANCE)



AN3FM

3" F-MOTOROLA COAXIAL CABLE



ANT1B

ANTENNA LEAD, 30"

12V TELEVISIONS & ACCESSORIES

JENSEN® televisions are specially engineered for the RV lifestyle. Our 12-volt DC LED TVs are designed from the inside and out to be more durable than TVs from big box stores. Lightweight metal housings and reinforced circuit boards allow our TVs to withstand the vibrations of a moving vehicle while delivering a high-quality picture for years to come.



JTV1917DVDC

19" 12V TV/DVD COMBO W/ STAND



JTV4020DC

40" 12V WALL MOUNT TV



JTV2421DC

24" 12V WALL MOUNT TV



JTV3220DC

32" 12V WALL MOUNT TV



DCCIG09

12V DC POWER ADAPTER FOR LED TV'S

MODEL	SCREEN SIZE	HDMI INPUTS	VIEWING ANGLES	CONTRAST RADIO	DIMENSIONS	VESA PATTERN
JTV1917DVDC**	19"	1	178/178	1000T01	17.5"W X 11"H X 1.8"D	75 X 75
JTV2421DC	24"	1	178/178	3000T01	22"W X 14"H X 2"D	100 X 100
JTV4020DC	40"	2	178/178	5000T01	36"W X 20"H X 3"D	200 X 200
JTV3220DC	32"	2	178/178	3000T01	29"W X 17"H X 3"D	100 X 100
JE2423	24"	2	178/178	3000T01	22.01"W X 13.6"H X 2"D	100 X 100
JE3223	32"	2	178/178	3000T01	28.9"W X 17.1"H X 3.2"D	100 X 100
JE4023	40"	3	178/178	5000T01	35.8"W X 20.4"H X 3.2"D	200 X 200
JE5023	50"	3	178/178	3500T01	44.3"W X 25.8"H X 3.3" D	200 X 400
JE2421S	24"	3	158/158	3000T01	22"W X 14"H X 2"D	100 X 100
JE3221S	32"	3	178/178	3000T01	29"W X 17"H X 3"D	100 X 100
JE4021S	40"	3	178/178	5000T01	36"W X 20"H X 3"D	100 X 100
JE5515	55"	2	178/178	4000T01	50"W X 29"H X 4"D	200 X 200

*All LED TVs include an Optional 12V DC Power Adapter: DCCIG09

**Includes built-in DVD player and TV stand

110V TELEVISIONS & ACCESSORIES



JE2423

24" 110V WALL MOUNT TV



JE24215

24" 110V SMART TV



JE3223

32" 110V WALL MOUNT TV



JE32215

32" 110V SMART TV



JE4023

40" 110V WALL MOUNT TV



JE40215

40" 110V SMART TV 110V



JE5023

50" 110V WALL MOUNT TV



JE5515

55" 110V WALL MOUNT TV



JCA12

12' STEREO AUDIO CABLE



JCAV12

12' STEREO/COMPOSITE VIDEO CABLE



JCA6

6' STEREO/COMPOSITE VIDEO CABLE

MARINE STEREOS

JENSEN® Marine products are tested to survive harsh elements such as salt, fog, rain, extreme humidity, and rough water. Our marine products meet boat builders' high standards, making them ideal for your outdoor sound system.



AMS602W

6" MARINE SPEAKER, WHITE



JMS3RTL

160 WATT, WATERPROOF, BLUETOOTH STEREO



JMS4RTL

160 WATT, WATERPROOF, BLUETOOTH STEREO W/ JENAUX CABLE



CPM50

2-CHANNEL BLUETOOTH AMPLIFIER AND PAIR OF 5" WATERPROOF SPEAKERS



JMS3SPKG

160 WATT, WATERPROOF, BLUETOOTH STEREO, TWO 6.5" DUAL CONES, 60-WATT SPEAKERS

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
AMS602W	6.5"	60W	30W	4 Ω	2-WAY
MS5006BR	5"	30W	12W	4 Ω	LOW PROFILE
MS5006WR	5.25"	30W	30W	4 Ω	LOW PROFILE
MS5250B	5.25"	36W	18W	4 Ω	COAXIAL
MS6007WR	6.5"	60W	30W	4 Ω	COAXIAL
MSX60BR	6.5"	75W	35W	4 Ω	2-WAY COAXIAL
MSX65R*	6.5"	75W	35W	4 Ω	2-WAY
MSX60RVR	6.5"	75W	30W	4 Ω	COAXIAL
MS6007SR	6.5"	60W	30W	4 Ω	COAXIAL

*GRILLE SOLD SEPARATELY: RG65SS OR RG65HGS



JMS4SPKG

160 WATT, WATERPROOF STEREO W/ BLUETOOTH, FOUR 6.5" DUAL CONE, 60-WATT SPEAKERS, AND JENAUX CABLE



JENAUX

USB INTERFACE & 3.5MM AUX-IN JACK



JPORTG

1/8" AUXILIARY AUDIO INPUT JACK




MA112

160 WATT, WATERPROOF STEREO W/ BLUETOOTH, AM/FM, USB W/ APP CONTROL



MAAUXFR

MAAUXF, RETAIL PACK



MAAUXSBR

MAAUXUSB, RETAIL PACK



MWREXT

6 METER CABLE EXT JENSEN

WATERPROOF EXTERIOR GRADE SPEAKERS



MS5006BR

5" MARINE SPEAKERS BLACK, PAIR (1.5" TOTAL DEPTH)



MS5006WR

5" MARINE SPEAKERS WHITE, PAIR (1.5" TOTAL DEPTH)



MS5250B

5.25" MARINE SPEAKER, BLACK



MS6007BR

6.5" COAXIAL MARINE SPEAKERS BLACK, PAIR



MS6007SR

6.5" MARINE SPEAKERS, SILVER, PAIR



MS6007WR

6.5" COAXIAL MARINE SPEAKERS WHITE, PAIR



MSX60BR

6.5" MARINE COAXIAL SPEAKERS, BLACK, PAIR



RG65HGS

6.5" SILVER SPEAKER GRILLE (USE W/ MS650 & MSX65), PAIR



MSX60RVR

6.5" MARINE SPEAKERS, GRAPHITE, PAIR



RG65SS

6.5" SILVER REMOVABLE SPORT GRILLE FOR MSX65, PAIR



MSX65R

6.5" MARINE HI-PERFORMANCE SPEAKERS, PAIR

///ADVENT[®]_{AIR}

Our ACs are designed for maximum airflow and efficiency while reducing compressor noise for a cool, quiet campout.





ACRG15

**DUCTED/NON-DUCTED CEILING ASSEMBLY
W/ DIGITAL THERMOSTAT**



ACM135B / ACM135W

13,500 BTU ROOF TOP AC, WHITE, BLACK



ACM150B / ACM150W

15,000 BTU ROOF TOP AC, WHITE, BLACK



ACDB

NON-DUCTED CEILING ASSEMBLY

ADVENT AC & ADVENT AC COMPONENTS



ACMHD

5,500 BTU HEAT STRIP



ACMSCKIT

START CAPACITOR KIT



ACTF2

AC/HP TEST KIT W/ HARNESS



ACTF

TEST FIXTURE - FOR TROUBLESHOOTING COMPRESSOR AND FAN MOTOR (ADVENT & DOMETIC COMPATIBLE)



ADVENT2021

ADVENT AIR CONDITIONER DISPLAY. DISPLAYS ADVENT AC'S ITEM NUMBERS: ACM135 / ACM150



ACCARKIT

CARRIER ADAPTER KIT



ACCOLKIT

COLEMAN ADAPTER KIT

Capabilities.

We have worked hard to build a team with the skills necessary to handle every stage of production. Our diverse range of capabilities allows us to better serve the needs of our customers throughout the process, whether that means designing an entirely new product, customizing an existing product to fit their application, or simply answering questions in a timely manner.

Engineering

Our on-site engineering lab is equipped with a multi-million dollar testing facility where we test all our products to withstand the unique applications and environments where they will be used.





Fabrication

Our highly-skilled fabrication team is able to modify existing products and even create new products to fulfill the needs of our customers on a regular basis.



Customer Service

Our award-winning customer support team is highly knowledgeable about all our products — passionate about helping customers find quick solutions.

**ASA Electronics® is proud to offer our Hassle-Free Warranty
and exclusive Dealer Bill of Rights to accompany our top-of-the-line products.**

**All JENSEN®, Voyager®, iN•Command® Control Systems, and Advent® Air products
are backed by a unique no-hassle program that
guarantees our products will be defect-free for 12 months.**

FOLLOW ASA ELECTRONICS ON



THE ONLY ELECTRONICS DESIGNED, ENGINEERED,
& TESTED EXCLUSIVELY FOR MOBILE USE

asa
ELECTRONICS®

2602 MARINE DRIVE • ELKHART INDIANA • 46514
WWW.ASAELECTRONICS.COM

FOLLOW ASA ELECTRONICS ON



FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.