# IN.Command®

Voyager



////DVE\T





For over 40 years, ASA Electronics® has provided the RV industry with mobile electronics made to perform in any environment. Everything from televisions and stereos to observation systems has been designed to withstand extreme conditions, including vibration, temperature swings, and moisture.

Our product line comprises stereos, speakers, and televisions from JENSEN®, observation systems from Voyager®, and rooftop air conditioners from Advent® Air. Our line of marine products from JENSEN completes our premium product offering for those who live life on the edge. Engineered at our two-million-dollar, in-house testing facility, all of our products are backed by our Hassle-Free Warranty and Dealer Bill of Rights.

They are warranted to be free of defects for 12 months, and our highly trained customer and technical service departments are available to answer any questions.

ASA Electronics stands by its products every step of the way to ensure that they can handle any adventure.

# **Contents**

4

#### **iN-COMMAND® CONTROL SYSTEMS**

• TIRE PRESSURE MONITORING



### **VOYAGER**

- WIRELESS OBSERVATION SYSTEMS & COMPONENTS
- WIRED OBSERVATION SYSTEMS & COMPONENTS

13

#### **JENSEN**

- RV WALL MOUNT STEREOS/CONTROLLER
- SPEAKERS & SUBWOOFERS
- AM/FM ANTENNAS
- 12V TELEVISIONS & ACCESSORIES
- MARINE STEREOS & ACCESSORIES
- WATERPROOF EXTERIOR GRADE SPEAKERS

22

#### **ADVENT AIR**

• AIR CONDITIONERS & COMPONENTS



# IN·Command®

CONTROL SYSTEMS



iN·Command® Control Systems ushers in the next generation of campsite control, acting as your RV's central hub of operations. Control and monitor an

array of systems, including slides, awnings, tank levels, and even Climate control and scheduling. iN·Command Global Connect allows you to control select functions of your RV using your smart device from anywhere in the world. Features like our innovative Unified Wiring Diagram and changeable relays allow easy maintenance at the campsite or dealership to keep your trip moving. For more information about iN·Command Control Systems, please visit www.in-command.net.



#### GLOBAL CONNECT®

Control select functions of your RV from anywhere in the world using a smart device with Wi-Fi or cellular data connection.



#### GENERATOR

Control and monitor generator functions including auto-start and fault code reporting.



### **CLIMATE CONTROL**

Control your heart and air conditioning, including the ability to set schedules for day and night and control roof vents.



#### TPMS

Monitor and receive notifications regarding air pressure and temperature in each tire, receiving alerts and other information through the iN-Command app.







# Voyager

You've never been safer with Voyager observation systems. With RVs prewired for WiSight® technology, our factory-installed, 12-volt DC socket is already connected to the existing wiring at the rear of the coach. WiSight® technology allows the camera to transmit to a wireless Voyager monitor even at high freeway speeds. Never guess your surroundings again.

- » EASY INSTALLATION
- » SAFETY
- » OBSERVATION



of analog wireless systems and delivers a sharp, vivid picture of the vehicle's surroundings to the monitor.







WVSXP43

**VOYAGER WIRELESS WISIGHT 2.0, 4.3" MONITOR W/ CAMERA FOR PREWIRE SYSTEM** 

If this cover plate is on the back of an RV, it's prewired for Voyager!



Your vehicle does <u>NOT</u> have to be *Prewired* to install/use these systems.





WVSXP70

**VOYAGER WIRELESS WISIGHT 2.0, 7" MONITOR W/ CAMERA FOR PREWIRE SYSTEM** 



**VOYAGER WIRELESS WISIGHT 2.0, 4.3" MONITOR W/ CAMERA** 



WVSXS70

**VOYAGER WIRELESS WISIGHT 2.0, 7" MONITOR W/ CAMERA** 

## WIRELESS OBSERVATION SYSTEM COMPONENTS



VOYAGER WIRELESS WISIGHT 2.0 CAMERA



VOYAGER WIRELESS WISIGHT 2.0 CAMERA



WVSXM43

VOYAGER WIRELESS WISIGHT 2.0, 4.3" MONITOR



WVSXM70

VOYAGER WIRELESS WISIGHT 2.0, 7" MONITOR

MODEL	VIEWING ANGLES	WATER-RESISTANT	MICROPHONE	PLACEMENT	LED LOW-LIGHT ASSIST	IMAGE	SENSOR
WVSXC150	115°, 98°, 73°	IPX6	YES	REAR	YES	MIRROR	CMOS
WVSXC160	122°, 91°, 65°	IPX6	YES	REAR	YES	MIRROR	CMOS

MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
WVSXM43	4.3"	500 NIT	500 TO 1	4	1.0"X 5.8" X 4.1"
WVSXM70	7"	400 NIT	500 TO 1	4	1.06"X 4.88" X 8.19"



VCMS172B

**CAMERA, VOYAGER LOW PROFILE, BLACK** 



VCMS24

**CAMERA, VOYAGER CMOS, WHITE** 



VCAHD150

**CAMERA, VOYAGER & FIXED MOUNT** 



VCAHD142RWT/VCAHD142LWT

CAMERA, SIDE-BODY, LEFT, WHITE/ RIGHT




VCMS12LGPR/VCMS12RGPR

CAMERA, SIDE-BODY, LEFT, GRAY PRIMER/ RIGHT



WVOSAPANTEXT

WVSXC150/WVSXC160 WIRELESS CAMERA ANTENNA EXTENSION



**CAMERA EXTENSION CABLES** 



MODEL	VIEWING ANGLES	PLACEMENT	MICROPHONE	LED LOW-LIGHT ASSIST	WATER-RESISTANT	SENSOR
VCMS172B	125°, 84°, 67°	REAR	YES	YES	IPX6	CMOS
VCMS24	154°, 123°, 95°	REAR	YES	YES	IPX6	CMOS
VCAHD150	160°, 135°, 85°	REAR	YES	YES	IPX6	CMOS
VCAHD142RWT/VCAHD142LWT	141°, 125°, 68°	SIDE BODY - RIGHT & LEFT	NO	YES	IPX6	CMOS
VCMS12LGPR/VCMS12RGPR	131°, 108°, 78°	SIDE BODY - RIGHT & LEFT	NO	NO	IPX6	CMOS



VOM719WP

7" HEAVY DUTY, QUADVIEW MONITOR



V0M718

7" LCD COLOR OBSERVATION MONITOR



VOM73MMT

7" MIRRORED MONITOR 3-CAM MULTI-VIEW



VOM74MM

7" MIRRORED MONITOR



4" UNIVERSAL **PEDESTAL MOUNT** 



VOSHD6MNT **6" UNIVERSAL** 



MODEL	PANEL SIZE	BRIGHTNESS	CONTRAST	CAMERA INPUTS	DIMENSIONS
VOM719WP	7"	500 NIT	500 TO 1	4	1.2" X 5.3" X 7.8"
V0M718	7"	450 NIT	400 TO 1	3	7.56" X 5.06" X 1.10"
VOM73MMT	7"	400 NIT	500 TO 1	3	10.04" X 4.72" X 1.24"
VOM74MM	7"	400 NIT	500 TO 1	3	10.04" X 4.72" X 1.24"



JENSEN wall mount stereos and accessories are designed to bring home entertainment to your home-away-from-home.





BTWP2

TWO-ZONE BLUETOOTH WALL PLATE



JWM452

AM/FM/CD/DVD/USB/AUX/HDMI/ BLUETOOTH/REAR HDMI/2 ZONE



JWM22

AM/FM/USB/AUX/HDMI/
BLUETOOTH/ CUBE-SHAPED/2 ZONE



#### JWM30

AM/FM/CD/USB/AUX/HDMI PASSTHROUGH/ BLUETOOTH/3 ZONE/MULTI-SOURCE/ DUAL BLUETOOTH ZONES



#### JWM65

AM/FM/USB/HDMI/BLUETOOTH/3 ZONE/MULTI-SOURCE



JWM92A

AM/FM/CD/DVD/USB/AUX/HDMI/BLUETOOTH/APP CONTROL/3 ZONE/160 WATTS

MODEL	DIMENSIONS	MAX POWER	RMS POWER	SPEAKER ZONES	APP CONTROL	HDMI OUTPUTS	BLUETOOTH	REMOTE INCLUDED
BTWP2	3.5" W X 3.5" H X 1.44" D	40W	10W	2	NO	1	YES	NO
JWM92A	17" W X 3.75" H X 6.5" D	160W	2W	3	YES	2	YES	YES
JWM452	8.25" W X 4.4" H X 6.5" D	24W	6W	2	NO	1	YES	YES
JWM65	10.43" W X 7" H X 5" D	36W	6W	3	NO	1	YES	YES
JWM22	5.25" W X 4.6" H X 3.5" D	24W	6W	2	NO	1	YES	YES
JWM30	8.23" W X 4.37" H X 6.52"	36W	6W	3	NO	1	YES	YES

1103050

# **4" HEAVY DUTY SPEAKER**





1022097

4" BLACK SPEAKER GRILLE
(COMPATIBLE WITH 1103050 SPEAKER)



3" UNIVERSAL MOUNT TWO-WAY SPEAKERS, PAIR



JXHD40

**4" HEAVY DUTY SPEAKER** 



JXHD54

# **5.25" HEAVY DUTY SPEAKER**

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	TYPE/DESIGN
1103050	4"	30W	15W	4 Ω	DUAL
JXHD30PS	3"	60W	30W	4 Ω	COAXIAL
JXHD40	4"	120W	40W	4 Ω	WOOFER
JXHD54	5.25"	135W	45W	4 Ω	WOOFER



1102094W / 1102094

5" DUAL CONE SPEAKERS



5.25" SPEAKERS
(GR600B/W GRILLES SOLD SEPARATELY)



GR600B / GR600W

6" BLACK / WHITE SPEAKER GRILLE
(COMPATIBLE WITH 1103030/5203 SPEAKERS)



5.25" SPEAKERS
(GR600B/W GRILLES SOLD SEPARATELY)

JWMS437

PANEL MOUNT SPEAKER,
SOLD INDIVIDUALLY





200W MARINE AMPLIFIED SUBWOOFER - 8"

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	TYPE/DESIGN
1102094	5"	25W	20W	4 Ω	DUAL
1102094W	5"	25W	20W	4 Ω	DUAL
1103030	5.25"	50W	25W	4 Ω	2-WAY COAXIAL
5203	5.25"	30W	15W	4 Ω	WOOFER
JWMS437	4.37 x 7	12W	6W	4 Ω	2-WAY
JMPSW800	13.6 X 10.4 X 2.9	200W	100W	4 Ω	WOOFER



14" SIDE OR TOP RUBBER MAST ANTENNA



**TOP OR SIDE MOUNT FLEXIBLE ANTENNA** 



**RUBBER MAST TOP OR SIDE MOUNT ANTENNA** 



**6' DI-POLE WIRE ANTENNA** 



**6" TOP OR SIDE RUBBER MAST ANTENNA** 



**IN-WALL ANTENNA** 



**TOP MOUNT PULL ANTENNA** 



**STAINLESS WHIP ANTENNA (HI-PERFORMANCE)** 



**AMPLIFIED ANTENNA, GREAT FOR REMOTE LOCATIONS** 



JENSEN® 12V Smart TVs are specifically designed for the RV lifestyle. Powered by a 12-volt DC system, these Smart TVs are built to thrive on the road, engineered to handle the bumps and vibrations of travel like a pro. With stunning picture quality, a sleek design, and endless entertainment at your fingertips, they are the ultimate road-ready streaming hub, giving you access to popular platforms like Netflix, Disney+, Apple TV+, and more.



### JTV2423DCS | JTV3223DCS | JTV4023DCS

# 24" | 32" | 40" SMART DC TELEVISIONS

### SUPPORTED APPS













And many more!



### DCCIG09

# 12V DC POWER ADAPTER FOR LED TV'S

MODEL	SCREEN SIZE	HDMI INPUTS	VIEWING ANGLES	CONTRAST RADIO	DIMENSIONS	VESA PATTERN
JTV2423DCS*	24"	2	178/178	3000-1	22.01"W X 13.55"H X 2.09"D	100 X 100
JTV3223DCS*	32"	2	178/178	3000-1	28.8"W X 17.1"H X 3.2"D	100 X 100
JTV4023DCS*	40"	2	178/178	5000-1	35.8"W X 20.4"H X 3.2"H	200 X 200

JENSEN® Marine products are tested to survive harsh elements such as salt, fog, rain, extreme humidity, and rough water. They comply with boat builders' high standards, making them ideal for your outdoor sound system.





**5" MARINE SPEAKERS BLACK, PAIR (1.5" TOTAL DEPTH)** 



**5" MARINE SPEAKERS WHITE, PAIR (1.5" TOTAL DEPTH)** 



6.5" MARINE HI-PERFORMANCE SPEAKERS, PAIR



6.5" COAXIAL MARINE SPEAKERS BLACK, PAIR



6.5" MARINE SPEAKERS, SILVER, PAIR



6.5" COAXIAL MARINE SPEAKERS WHITE, PAIR



6.5" MARINE COAXIAL SPEAKERS, BLACK, PAIR



6.5" MARINE SPEAKERS, GRAPHITE, PAIR



5.25" MARINE SPEAKER, BLACK



**6" MARINE SPEAKER, WHITE** 

MODEL	SIZE	MAX POWER	RMS POWER	IMPEDANCE	SPEAKER TYPE, SPEAKER DESIGN
MS5006BR	5.25"	30W	12W	4 Ω	LOW PROFILE
MS5006WR	5.25"	30W	12W	4 Ω	LOW PROFILE
MS5250B	5.25"	36W	18W	4 Ω	COAXIAL
MS6007WR	6.5"	60W	30W	4 Ω	COAXIAL
MSX60BR	6.5"	75W	35W	4 Ω	COAXIAL
MSX65R*	6.5"	75W	35W	4 Ω	COAXIAL
MSX60RVR	6.5"	75W	30W	4 Ω	COAXIAL
MS6007SR	6.5"	60W	30W	4 Ω	COAXIAL
AMS602W	6.5"	60W	30W	4 Ω	2-WAY



Our rooftop air conditioners are designed for maximum airflow and efficiency while reducing compressor noise for a cool, quiet campout.

Scan for more information on all Advent Air products.





# New for 2025 - Not backward compatible with 2024 or prior models -

# Ceiling assemblies must be purchased with AC units.

# 1. CHOOSE YOUR AC UNIT

## **STANDARD**





ACR135 / ACR135B

13,500 BTU | WHITE/BLACK

ACR150 / ACR150B

15,000 BTU | WHITE/BLACK

# LOW-PROFILE





ACR135LP / ACR135LPB

13,500 BTU | WHITE/BLACK

ACR150LP / ACR150LPB

15,000 BTU | WHITE/BLACK

# THEN

# 2. CHOOSE YOUR CEILING ASSEMBLY



ACRND25

**NON-DUCTED CEILING ASSEMBLY** 



DUCTED/NON-DUCTED CEILING ASSEMBLY W/ DIGITAL THERMOSTAT

### ACTF25


TEST FIXTURE - FOR TROUBLESHOOTING COMPRESSOR AND FAN MOTOR





ACMSCKIT

START CAPACITOR KIT




# **Capabilities**

We have worked hard to build a team with the skills necessary to handle every stage of production.

Our diverse range of capabilities allows us to better serve the needs of our customers throughout the process, whether that means designing an entirely new product, customizing an existing product to fit their application, or simply answering questions in a timely manner.

# **Engineering**

Our on-site engineering lab is equipped with a multi-million dollar testing facility where we test all our products to withstand the unique applications and environments where they will be used.








# **Fabrication**

Our highly-skilled fabrication team is able to modify existing products and even create new products to fulfill the needs of our customers on a regular basis.

# **Customer Service**

Our award-winning customer support team is highly knowledgeable about all our products and passionate about helping customers find quick solutions.



ASA Electronics® is proud to offer our Hassle-Free Warranty and exclusive Dealer Bill of Rights to accompany our top-of-the-line products.

All JENSEN®, Voyager®, iN•Command® Control Systems, and Advent® Air products are backed by a unique no-hassle program that guarantees our products will be defect-free for 12 months.

Customer Service: 1-800-274-1886

FOLLOW ASA ELECTRONICS ON









FOLLOW ASA ELECTRONICS ON





2602 Marina Drive • Elkhart, IN 46514 www.asaelectronics.com

Features and specifications are subject to change without notice.